

AIR OPERATOR CERTIFICATE

(Approval schedule for air transport operators)

Types of operation: Commercial air transport (CAT) ☒ Passengers; ☒ Cargo;
☒ Other: **Emergency Medical Service EMS**

	State of the Operator: Denmark	
	Issuing Authority: Danish Transport, Construction and Housing Authority	
AOC Approval ref.: DK.AOC.058	Operator Name: FlexFlight ApS Operator address: Lufthavnsvej 50 4000 Roskilde Denmark Telephone: +45 45807060 E-mail: Info@flexflight.dk	Operational Points of Contact: • Ran Piontek, Telephone: +45 4020 2005, E-mail: ran@flexflight.dk Contact details, at which operational management can be contacted without undue delay, are listed in: Operational Manual Part A, Chapter 1.

This certificate certifies that FlexFlight ApS is authorised to perform commercial air operations, as defined in the attached operations specifications, in accordance with the operations manual, Annex IV to Regulation (EC) No 216/2008 and its Implementing Rules.

Date of issue:
06-AUG-2019

Name and Signature:

Nick Bøje

Title:

Chief Inspector



OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Issuing authority contact details:

Telephone: **+45 7221 8800**

Email: **info@tbst.dk**

AOC: **DK.AOC.058** Operator name: **FlexFlight ApS**

Date of issue:

30-SEP-2020

Signature:

Nick Bøje



Operations specifications:

Aircraft model: **CL604**

Registration marks: **OY-INV**

Type of operations: Commercial air transport

Cargo

Passengers

Emergency Medical Service EMS

Area of operation: **ICAO World wide**

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low visibility operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Minimum RVR: 150 m	
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICAO Worldwide	
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Complex navigation specifications for PBN operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	World wide ICAO NAT HLA	
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		

OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Specific approvals:	Yes	No	Specification	Remarks
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Refer to "EFB hardware and software summary page" in the operations manual	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DK.MG.0058, FlexFlight ApS	
Others EFB			Portable with viewable stowage	

OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Aircraft model: **C172**
 Registration marks: **OY-CSB**

Type of operations: Commercial air transport
Cargo
Passengers

Area of operation: **ICAO EUR**

Special limitations: **VFR day only**

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Low visibility operations				
Take-off	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Complex navigation specifications for PBN operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DK.MG.0058, FlexFlight ApS	
Others				

OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Aircraft model: **C525**
 Registration marks: **OY-JSW**

Type of operations: Commercial air transport
Cargo
Passengers
Emergency Medical Service EMS

Area of operation: **ICAO World wide**

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low visibility operations				
Take-off	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICAO EUR, NAT	
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Complex navigation specifications for PBN operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICAO NAT, Restricted to special routes not requiring long range equipment and to special routes requiring one fully operational long range system	
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Refer to "EFB hardware and software summary page" in the operations manual	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DK.MG.0058, FlexFlight ApS	
Others EFB			Portable with viewable stowage	

OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Aircraft model: **C550**
 Registration marks: **OY-EVO**

Type of operations: Commercial air transport
Cargo
Passengers
Emergency Medical Service EMS

Area of operation: **ICAO World wide**

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low visibility operations				
Take-off	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICAO EUR, NAT	
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Complex navigation specifications for PBN operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICAO NAT HLA	
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Refer to "EFB hardware and software summary page" in the operations manual	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DK.MG.0058, FlexFlight ApS	
Others EFB			Portable with viewable stowage	

OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Aircraft model: **G200**
 Registration marks: **OY-IUV**

Type of operations: Commercial air transport
Cargo
Passengers
Emergency Medical Service EMS

Area of operation: **ICAO World wide**

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low visibility operations				
Take-off	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Minimum RVR: 150 m	
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICAO Worldwide	
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Complex navigation specifications for PBN operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	World wide ICAO NAT HLA	
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Refer to "EFB hardware and software summary page" in the operations manual	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DK.MG.0058, FlexFlight ApS	
Others EFB			Portable with viewable stowage	

OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Aircraft model: **LEAR 45**

Registration marks: **OY-GIC**

Type of operations: Commercial air transport

Cargo

Passengers

Emergency Medical Service EMS

Area of operation: **ICAO World wide**

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low visibility operations				
Take-off	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICAO Worldwide	
ETOPS <input type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Complex navigation specifications for PBN operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Minimum navigation performance specification	<input checked="" type="checkbox"/>	<input type="checkbox"/>	World wide ICAO NAT HLA	
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Refer to "EFB hardware and software summary page" in the operations manual	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DK.MG.0058, FlexFlight ApS	
Others EFB			Portable with viewable stowage	

OPERATIONS SPECIFICATIONS

(subject to the approved conditions in the operations manual)

Aircraft model: **PC-12**
 Registration marks: **OY-GSA, OY-GSB**

Type of operations: Commercial air transport
Cargo
Passengers
Emergency Medical Service EMS

Area of operation: **ICAO World wide**

Special limitations:

Specific approvals:	Yes	No	Specification	Remarks
Dangerous goods	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Low visibility operations				
Take-off	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Approach and landing	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
RVSM <input type="checkbox"/> N/A	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ICAO Worldwide	Applies to: OY-GSA
ETOPS <input checked="" type="checkbox"/> N/A	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Complex navigation specifications for PBN operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Minimum navigation performance specification	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Operations of single-engined turbine aeroplane at night or in IMC (SET-IMC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	PC-12/47 / PT6A-67P Risk Period NOT to exceed 15 min.	
Helicopter operations with the aid of night vision imaging systems	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter hoist operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter emergency medical service operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Helicopter offshore operations	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Cabin crew training	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Issue of CC attestation	<input type="checkbox"/>	<input checked="" type="checkbox"/>		
Use of type B EFB applications	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Refer to "EFB hardware and software summary page" in the operations manual	
Continuing airworthiness	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DK.MG.0058, FlexFlight ApS	
Others EFB			Portable with viewable stowage	